

# Neurology Therapies

Referring Physician Orders Rev. 9/2023

Please fax completed referral form & all required documents to 770-618-9617

## PATIENT DEMOGRAPHICS

Patient Name: \_\_\_\_\_ DOB: \_\_\_\_\_ Phone: \_\_\_\_\_  
 Address: \_\_\_\_\_ City/ST/Zip: \_\_\_\_\_  
 Allergies: \_\_\_\_\_  NKDA Weight: \_\_\_\_\_  lbs  kg Height: \_\_\_\_\_  in  cm

**INSURANCE INFORMATION: Please attach copy of insurance card (front and back).**

## DIAGNOSIS\*

- \*ICD 10 Code Required**
- |   |   |
|---|---|
| <input type="checkbox"/> Amyotrophic Lateral Sclerosis (ALS), G12.21                      | <input type="checkbox"/> Multiple Sclerosis (MS), G35                           |
| <input type="checkbox"/> Chronic Inflammatory Demyelinating Polyneuropathy (CIDP), G61.81 | <input type="checkbox"/> Myasthenia Gravis without (acute) exacerbation, G70.00 |
| <input type="checkbox"/> Guillain-Barre Syndrome (GBS), G61.0                             | <input type="checkbox"/> Myasthenia Gravis with (acute) exacerbation, G70.01    |
| <input type="checkbox"/> Multifocal Motor Neuropathy (MMN), G61.82                        | <input type="checkbox"/> Migraine, unspecified, G43.9                           |
| <input type="checkbox"/> Neuromyelitis optica [Devic], G36.0                              | <input type="checkbox"/> Other: _____, ICD10 _____                              |

## INFUSION ORDERS

MEDICATION	DOSE	DIRECTIONS/DURATION
Briumvi™ (ublituximab)	<input type="checkbox"/> <b>FIRST DOSE:</b> 150mg <input type="checkbox"/> <b>SECOND and SUBSEQUENT DOSES:</b> 450mg	<input type="checkbox"/> <b>FIRST DOSE:</b> Infuse IV over 4 hours x 1 dose. <input type="checkbox"/> <b>SECOND DOSE (2 weeks after 1<sup>st</sup> Dose):</b> Infuse IV over 1 hour x 1 dose. <input type="checkbox"/> <b>SUBSEQUENT DOSES:</b> Infuse IV over 1 hour every 6 months x 1 year. *Observe patient for 1 hour after completion of first two infusions.*
IVIG <input type="checkbox"/> Bivigam 10% <input type="checkbox"/> Octagam 5% <input type="checkbox"/> Panzyga 10% <input type="checkbox"/> Octagam 10% <input type="checkbox"/> Other Brand and Conc: _____	<input type="checkbox"/> <b>0.4 gm/kg:</b> _____ gm <input type="checkbox"/> <b>1 gm/kg:</b> _____ gm <input type="checkbox"/> <b>2 gm/kg:</b> _____ gm <input type="checkbox"/> <b>Other:</b> _____ gm (total) * Specify total dose in grams per infusion and order to the nearest 5 grams.	<input type="checkbox"/> <b>INITIAL:</b> Infuse IV daily x _____ days. <input type="checkbox"/> <b>MAINTENANCE:</b> Infuse IV daily x _____ days every _____ weeks x 1 year. <input type="checkbox"/> <b>OTHER:</b> _____ Ramp up infusion over 90 minutes to maximum rate of 150 mL/hr (10% IVIG) or 250 mL/hr (5% IVIG), or as tolerated, then ramp down over 1 minute.
Ocrevus® (ocrelizumab)	<b>INITIAL:</b> 300mg <b>MAINTENANCE:</b> 600mg	<input type="checkbox"/> <b>INITIAL:</b> Infuse 300mg IV over 2.5 hours at Weeks 0 and 2. <input type="checkbox"/> <b>MAINTENANCE:</b> Infuse 600mg IV over 3.5 hours every 6 months x 1 year. <input type="checkbox"/> <b>MAINTENANCE:</b> Infuse 600mg IV over 2 hours every 6 months x 1 year. *Observe patient for 1 hour after completion of infusion.*
Soliris® (eculizumab)	<b>INITIAL:</b> 900mg <b>MAINTENANCE:</b> 1200mg	<input type="checkbox"/> <b>INITIAL:</b> Infuse 900mg IV over 35 minutes weekly x 4 doses. <input type="checkbox"/> <b>MAINTENANCE:</b> Infuse 1200mg IV over 35 minutes every 2 weeks x 1 year. *Observe patient for 1 hour after completion of infusion.*
Radicava® (edaravone)	60mg	<input type="checkbox"/> <b>INITIAL:</b> Infuse IV over 60 minutes daily x 14 days, followed by 14 days drug free. <input type="checkbox"/> <b>MAINTENANCE:</b> Infuse IV over 60 minutes daily x 10 days in a 14-day period, followed by 14 days drug free x 1 year.
Tysabri® (natalizumab) <input type="checkbox"/> Patient enrolled in TOUCH Prescribing Program	300mg	<input type="checkbox"/> Infuse IV over 1 hour every 4 weeks x _____ months. *Observe patient for 1 hour after completion of infusion.* <input type="checkbox"/> If no hypersensitivity reaction observed with first 12 infusions, then post-infusion observations as directed by MD.
Ultomiris® (ravulizumab)	<b>LOADING</b> <input type="checkbox"/> 40 to <60kg: 2400 mg <input type="checkbox"/> 60 to <100kg: 2700 mg <input type="checkbox"/> ≥100kg: 3000 mg <b>MAINTENANCE</b> <input type="checkbox"/> 40 to <60kg: 3000 mg <input type="checkbox"/> 60 to <100kg: 3300 mg <input type="checkbox"/> ≥100kg: 3600 mg	<input type="checkbox"/> <b>LOADING:</b> Infuse IV x 1 dose. <input type="checkbox"/> <b>MAINTENANCE:</b> Infuse IV every 8 weeks x 1 year. Using Ultomiris® 100 mg/ml vials: Infuse loading dose at max rate of 90 mL/hr and maintenance doses at max rate of 95 mL/hr for patients weighing 60 to <100 kg. (Final diluted bag concentration = 50 mg/mL.) **Infusion rate for all other patient body weight or vial concentration will be determined in accordance with manufacturer guidelines.** *Observe patient for 1 hour after completion of infusion.*
Uplizna® (inebilizumab)	300mg	<input type="checkbox"/> <b>INITIAL:</b> Infuse IV over 90 minutes every 2 weeks x 2 doses. <input type="checkbox"/> <b>MAINTENANCE:</b> Infuse IV over 90 minutes every 6 months x 1 year. *Observe patient for 1 hour after completion of infusion.*
Vyepti® (eptinezumab)	<input type="checkbox"/> 100mg <input type="checkbox"/> 300mg	<input type="checkbox"/> Infuse IV over 30 minutes once every 3 months x 1 year.
Vyvgart® (efartigimod alfa)	<input type="checkbox"/> <120kg: _____ mg (10mg/kg) <input type="checkbox"/> ≥120kg: 1200 mg	<input type="checkbox"/> Infuse IV over 1 hour once weekly x 4 doses.

Is patient currently receiving therapy above from another facility?  NO  YES

If yes, Facility Name: \_\_\_\_\_ Date of last treatment: \_\_\_\_\_ Date of next treatment: \_\_\_\_\_

## OTHER ORDERS

**LAB ORDERS:** Labs to be drawn by:  Infusion Center  Referring Physician  
 No labs ordered at this time  
 CBC q \_\_\_\_\_  CMP q \_\_\_\_\_  CRP q \_\_\_\_\_  ESR q \_\_\_\_\_  LFTs q \_\_\_\_\_  Other: \_\_\_\_\_

**PRE-MEDICATION ORDERS:**  
 No premeds ordered at this time  Diphenhydramine 25mg PO  
 Acetaminophen 650mg PO  Methylprednisolone 40mg IVP -OR-  Hydrocortisone 100mg  
 Other: \_\_\_\_\_

# Neurology Therapies

Referring Physician Orders Rev. 9/2023

Please fax completed referral form & all required documents to 770-618-9617



Patient Name: \_\_\_\_\_ DOB: \_\_\_\_\_

## REFERRING PHYSICIAN INFORMATION

Physician Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Physician Name: \_\_\_\_\_ Provider NPI: \_\_\_\_\_ Specialty: \_\_\_\_\_  
Address: \_\_\_\_\_ City/ST/Zip: \_\_\_\_\_  
Contact Person: \_\_\_\_\_ Phone #: \_\_\_\_\_ Fax #: \_\_\_\_\_  
Email Where Follow Up Documentation Should Be Sent: \_\_\_\_\_

## REQUIRED CLINICAL DOCUMENTATION

**Please attach medical records: Initial H&P, current MD progress notes, medication list, and labs/test results to support diagnosis.**

### Test Results (required)

- Hepatitis B Screening for Ocrevus (submit results to start therapy)
- JC virus (JCV) antibody testing for Tysabri (submit results to start therapy and every 6 months to continue therapy)
  - Continuation labs to be done by:  Infusion Center  Referring Physician
- Meningococcal vaccination for Soliris (must be completed at least 2 weeks prior to starting therapy)

### Diagnostic Test Results (please attach copy for all items checked)

For ALS:

- ALS Functional Rating Scale-revised (ALSFRS-r)
- Pulmonary function test

For MMN

- Electromyography (EMG) and Nerve conduction velocity (NCV) tests
- anti-GM1 antibodies
- Lumbar puncture test

For CIDP

- Electromyography (EMG) and Nerve conduction velocity (NCV) tests
- Lumbar puncture test
- Nerve biopsy report
- Neurological Rankin Scale Score

For Myasthenia Gravis

- Acetylcholine receptor (AChR) antibodies
- Baseline MG-Activities of Daily Living (MG-ADL) Evaluation

For Neuromyelitis Optica

- Anti-aquaporin-4 (AQPR) antibodies

### Prior Failed Therapies (including DMARDs, immunosuppressants, and biologics)

Medication Failed: \_\_\_\_\_ Dates of Treatment: \_\_\_\_\_ Reason for D/C: \_\_\_\_\_  
Medication Failed: \_\_\_\_\_ Dates of Treatment: \_\_\_\_\_ Reason for D/C: \_\_\_\_\_  
Medication Failed: \_\_\_\_\_ Dates of Treatment: \_\_\_\_\_ Reason for D/C: \_\_\_\_\_  
Medication Failed: \_\_\_\_\_ Dates of Treatment: \_\_\_\_\_ Reason for D/C: \_\_\_\_\_  
Medication Failed: \_\_\_\_\_ Dates of Treatment: \_\_\_\_\_ Reason for D/C: \_\_\_\_\_